



Haryana Government Gazette

Published by Authority

© Government of Haryana

No. 47-2019] CHANDIGARH, TUESDAY, NOVEMBER 19, 2019 (KARTIKA 28, 1941 SAKA)

PART – I

Notifications, Orders and Declarations by Haryana Government

HARYANA GOVERNMENT

PUBLIC WORKS DEPARTMENT

(BUILDING AND ROADS BRANCH) AMBALA CIRCLE

Notification

The 11th November, 2019

No. SE/PWD (B&R)/Ambala/CZC/21.— Decision of the Direction Committee on Haryana P.W.D. Schedule of Rates 1988 (Second Edition) held on 08/11/2019.

The Direction committee discussed the Agenda and approved the following amendments in Haryana P.W.D. Schedule of rates 1988, Second Edition.

THESE AMENDMENTS WILL BE APPLICABLE FROM THE DATE OF GAZETTE NOTIFICATION.

Addenda and Corrigenda to the Haryana PWD Schedule of Rates 1988 (Second Edition)

A&C Slip No.31

Dated: 11/11/2019.

Adopting the items of Delhi Schedule of rates, 2018 (DSR-2018) as a part of HSR alongwith percentage discount / premium over the rates given in DSR, 2018, so as to minimize non schedule items:

1. All the items already existing in HSR including subsequent notifications will prevail along-with the already approved rates including premium of HSR.
2. The items of D.S.R. (2018) which are not covered in H.S.R.(1988) are included as part of H.S.R.(1988) with following chapter-wise percentage discount over rates given in D.S.R.(2018). In case of any conflict / dispute / discrepancy with respect to description of any items appearing in DSR and HSR; then item and rate of HSR with relevant premium will prevail.

Sr. No.	NAME OF SUB-HEAD of DSR	% Reduction / discount recommended
B	SUB -HEADS	
1	Carriage of Materials	25
2	Earth Work	40

Sr. No.	NAME OF SUB-HEAD of DSR	% Reduction / discount recommended
B	SUB -HEADS	
3	Mortar	10
4	Concrete Work	30
5	Reinforced Cement Concrete	35
6	Masonry Work	30
7	Stone Work	20
8	Cladding Work	40
9	Wood and PVC Work	25
10	Steel Work	30
11	Flooring	30
12	Roofing	30
13	Finishing	30
14	Repairs to Building	25
15	Dismantling and Demolishing	30
16	Road Work	25
	The discount on Sub Head 16 (Road Work) is applicable on items except those for which analytical rates are derived with lead of carriage from nearest quarry and refinery (such as tack coat / seal coat / WBM / DBM / BM / PC / Surface Dressing etc.). In such cases the prevailing practice for deriving the rates based on HSR and analytical rates will continue.	
17	Sanitary Installations	20
18	Water Supply	10
19	Drainage	30
20	Pile work	10
21	Aluminium Work	25
22	Water Proofing	40
23	Rain Water Harvesting & Tubewells	10
24	Conservation of Heritage Buildings	20
25	Structural Glazing Aluminium Composite Panel	30
26	New Technologies and Materials	30

NOTE:—

1. The items of DSR which are not included in HSR will be considered as HSR items for all purposes after chapter wise reduction / discount as above.

A&C Slip No.32

Dated: 11/11/2019.

Chapter No.10**CONCRETE**

In the Haryana Government Public Works (Building and Roads) Department Notification bearing No.SE/PWD (B&R)/Ambala/CZC/17 dated 17/08/2017 and A&C slip No.19 dated 17/08/2017, the following amendments have been made:

EXISTING IN HSR AS UNDER:

Sr. No.	HSR Item	Description	Unit	Labour Rate	Through rate
1.	10.64	Design Mix cement concrete of grade M-15 with minimum cement content 240 Kg/cum in foundation and plinth	Cum.	79	580.29
2.	10.65	Design Mix cement concrete of grade M-20 with minimum cement content 300 Kg/cum in foundation and plinth	Cum.	80	633.75

Note: In case cement content of the Design Mix is more than the minimum specified in above items, nothing extra will be paid for extra cement to be consumed.

AMENDED:

Sr. No.	HSR Item	Description	Unit	Labour Rate	Through rate
1.	10.64	Providing & laying in position machine batched and machine mixed design mix M-15 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge in foundation and plinth. (Note: Cement content considered in this item is @ 240 kg/cum.).	Cum.	148	665.00
2.	10.65	Providing & laying in position machine batched and machine mixed design mix M-20 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge in foundation and plinth. (Note: Cement content considered in this item is @ 300 kg/cum.).	Cum.	150	737.00

Note:—

1. In case cement content of the Design Mix is more than the specified in above items, nothing extra will be paid for extra cement to be consumed. In case cement content of the Design Mix is less than the specified in above items, then less cement used as per design mix is recoverable separately as per base rates.

A&C Slip No.33

Dated: 11/11/2019.

Chapter No.19**LINING**

The rates of Item No.19.1, 19.2, 19.12, 19.15 (a) and 19.15 (b) are revised as under:

ALREADY EXISTING:

HSR Item No.	Description of item	Unit	Labour Rate			Through rates		
			HSR Rate	Prem-ium	Total	HSR Rate	Prem-ium	total
19.1	Dressing bed and preparation of sub grade for lining.	Sqm	0.65	550%	4.23	-		
19.2	Dressing side slopes and preparation of sub grade for lining.	Sqm	0.97	550%	6.31	-		
19.12	Putting 1:3 cement sand slurry, 6mm thick on prepared bed and side slopes before laying concrete, on bed and side slopes.	Sqm	0.27	550%	1.76	5.10	450%	28.05
19.15 (a)	Extra allowance for form work in concrete lining (in bed)	Cum	6.85	550%	44.53	16.20	450%	89.10
19.15 (b)	Extra allowance for form work in concrete lining (in slopes)	Cum	8.35	550%	54.28	17.65	450%	97.08

RECOMMENDED FOR AMENDMENT:

Item. No.	Description	Unit	Labour Rate	Trough Rate
19.1	Dressing bed and preparation of sub grade for lining.	Sqm.	13.37	-
19.2	Dressing side slopes and preparation of sub grade for lining.	Sqm.	19.80	-
19.12	Putting 1:3 cement sand slurry, 6mm thick on prepared bed & side slopes before laying concrete, on bed & side slopes.	Sqm.	5.75	32.55
19.15 (a)	Extra allowance for form work in concrete lining (in bed)	Cum	149.10	194.58
19.15 (b)	Extra allowance for form work in concrete lining (in slopes)	Cum	181.05	226.53

NOTE: No premium is applicable on these items of chapter 19 i.e. item No. 19.1, 19.2, 19.12, 19.15 (a) and 19.15 (b).

SANJIT KUMAR,
Convener, Central Zonal Committee,
Haryana PWD Schedule of Rates-cum-
Superintending Engineer, Ambala Circle,
PWD (B&R), Ambala Cantt.